

Kit SDS Cover Sheet

Product Name:

Item No(s):

This is a test kit that is comprised of several individual components, listed below, each of which may have its own Safety Data Sheet (SDS). If a component does not have a Safety Data Sheet included, the item falls under Hazard Communication [1910.1200(b)(6)], *Articles*, and does not require a Safety Data Sheet.

Kit Components:

For product information, please contact your Neogen Corporation Representative. For further information regarding this SDS, please contact <u>SDS@neogen.com</u>.

> 620 Lesher Pl | Lansing, Ml | 48912 (517) 372-9200 | www.neogen.com

Version Date: Revision No.: Replaces:



# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

# Lysis Reagent Suspension Buffer

Page 1/8

Revision 4 Revision date 2023-08-11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	Lysis Reagent Suspension Buffer	
Product code	17645	
1.2. Relevant identified u	ises of the substance or mixture and uses advised against	
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC21] Laboratory chemicals;	
Description	Intended for use in routine analytics, including quality control and monitoring. Restricted to professional users.	
1.3. Details of the supplie	er of the safety data sheet	
Company	Neogen Corporation	
Address	620 Lesher Place Lansing MI 48912 USA	
Web	www.neogen.com	
Telephone	517-372-9200/800-234-5333	
Email	SDS@neogen.com	
1.4. Emergency telephone number		
	24 hours:	

Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
24 hours:

# SECTION 2: Hazards identification

2.1. Classification of the substance or mixture			
2.1.2. Classification - GHS	Eye Irrit. 2: H319; Aquatic Chronic 3: H412;		
2.2. Label elements			
Hazard pictograms			
Signal Word	Warning		
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.		
Precautionary Statement:	P264 - Wash thoroughly after handling.		
Prevention	P273 - Avoid release to the environment.		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
Response	lenses, if present and easy to do. Continue rinsing.		



### Revision 4 Revision date 2023-08-11

cial waste disposal facility in
cial waste disposal facility in
ubstance(s) which are t.

# SECTION 3: Composition/information on ingredients

3.2.	Mixtures
------	----------

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH No.	Conc. (%w/w)	Classification
Magnesium nitrate		10377-60-3	233-826-7			Ox. Sol. 2: H272; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;
Polyethylene octylphenyl ether		9002-93-1	618-344-0			Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

### Description

Included on the Candidate List of Substances of Very High Concern: P-tertiary-Octylphenoxy polyethyl alcohol, CAS No. 9002-93-1.
Concentrations listed are not product specifications.

# Particle Characteristics

Not applicable.

### **Further information**

Full text of Hazard Statements listed in this Section is provided in Section 16.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.	
Skin contact	Remove contaminated clothing. Wash with soap and water. Seek medical attention if irritation or symptoms persist.	
Ingestion	Do not induce vomiting unless told to do so by the poison control center or doctor. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	May cause irritation to respiratory system.	

malaton		
Eye contact	Causes serious eye irritation.	
Skin contact	May cause irritation to skin.	
Ingestion	Ingestion may cause nausea and vomiting.	

### 4.3. Indication of any immediate medical attention and special treatment needed

Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. Seek medical attention if irritation or symptoms persist.



4.3. Indication of any immediate	medical attention and special treatment needed			
	If medical advice is needed, have product container or label at hand.			
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
	Use extinguishing media appropriate to the surrounding fire conditions.			
5.2. Special hazards arising from	n the substance or mixture			
	Contains substance(s) which are hazardous to the environment. Do not allow undiluted product to be released to ground water, water course or sewage system.			
5.3. Advice for firefighters				
	Do not breathe vapor or spray mist. Wear self-contained breathing apparatus and chemical-protective clothing.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Use as appropriate: Protective equipment, Protective clothing. Ensure adequate ventilation of the working area. Avoid prolonged or repeated exposure.			
6.2. Environmental precautions				
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.			
6.3. Methods and material for co	ntainment and cleaning up			
	Absorb spillage to prevent material damage. Clean spillage area thoroughly with plenty of water. Do not contaminate water by cleaning of equipment or disposal of wastes.			
6.4. Reference to other sections				
	See Section(s) 2, 8, and 13 for further information.			
SECTION 7: Handling and st	torage			
7.1. Precautions for safe handlin	g			
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.			
7.2. Conditions for safe storage, including any incompatibilities				
	Store at temperatures between 2 °C and 8 °C. Follow label instructions. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal.			
7.3. Specific end use(s)				
	See Section(s) 1.2 for further information.			
Further information				
	Refer to product label and/or package insert for additional information. Follow label instructions.			
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
	No occupational exposure limits known.			
8.2. Exposure controls				



### 8.2. Exposure controls

Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective equipment.
Eye / face protection	Use as appropriate: Suitable eye protection.
Skin protection - Hand protection	Use as appropriate: Chemical-resistant gloves made of any waterproof material. Wash the outside of gloves before removing them.
Skin protection - Other	Use as appropriate: Protective clothing. Wash contaminated clothing, separately from other laundry, with detergent and water before reuse.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Protect clothing from contact with the product. Provide chemical shower. Provide eye wash station.

**Further information** 

Remove and wash contaminated clothing before reuse.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

State	Aqueous solution
Color	Clear
Odor	Odorless
Odor threshold	No data available
рH	7.2 - 7.4
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient (P)	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	Not applicable.
Oxidizing properties	
Solubility	Soluble in water
9.2 Other information	

9.2. Other information

4/8

4



### **Revision** 4 **Revision date** 2023-08-11

9.2. Other information

Conductivity	No data available	
Surface tension	No data available	
Gas group	No data available	
Benzene Content	No data available	
Lead content	No data available	
VOC (Volatile organic	No data available	
compounds)		
SECTION 10: Stability and reactivity		

10.1. Reactivity

	Stable under normal conditions.			
10.2. Chemical stability				
	Stable under normal conditions.			
10.3. Possibility of hazardous re	actions			
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.			
10.4. Conditions to avoid				
	Keep away from extreme temperatures.			
10.5. Incompatible materials				
	No data available.			
10.6. Hazardous decomposition products				
	Carbon oxides.			

# SECTION 11: Toxicological information

### 11.1 Information on hazard classes

Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain substance(s) that are classified as hazardous. For more information, see Section 3.					
Skin corrosion/irritation	May cause irritation to skin.					
Serious eye damage/irritation	Causes serious eye irritation.					
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.					
Germ cell mutagenicity	No mutagenic effects reported.					
Carcinogenicity Reproductive toxicity	No components at >0.01% are listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. No components at >0.01% are listed in the International Agency for Research on Cancer (IARC) Monographs. No components at >0.01% are listed in the National Toxicology Program (NTP) Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens. p-tertiary-Octylphenoxy polyethyl alcohol, CAS No. 9002-93-1, is suspected toxic for reproduction: CAESAR developmental toxicity model in VEGA (Q) SAR platform predicts that the chemical is					
	Toxicant (good reliability).					
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
STOT-repeated exposure	No Significant Hazard.					
Aspiration hazard	No Significant Hazard.					
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.					



### Page 6/8

# Lysis Reagent Suspension Buffer

11.1.2. Mixtures	
	See Section(s) 3 for further information.
11.1.3. Hazard Information	
	See Section(s) 2 and 3 for further information.
11.1.4. Toxicological information	
	No data available
11.1.5. Hazard Class	
	See Section(s) 2 and 14 for further information.
11.1.6. Classification Criteria	
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
11.1.7. Information on likely rout	es of exposure
	Eye contact. Skin contact. Ingestion. Inhalation.
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics
	See Section(s) 4.2 for further information.
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure
	See Section(s) 4.2 for further information.
11.1.10. Interactive effects	
	No data available.
11.1.11. Absence of specific dat	a
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substan	ce information
	See Section(s) 3 for further information.
11.1.13. Other information	
	No data available.
11.2 Information on other hazard	ls
	No data available.
SECTION 12: Ecological info	prmation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Suspected persistent in the environment: The Danish QSAR database contains information indicating that the substance is predicted as non readily biodegradable. p-tertiary-Octylphenoxy polyethyl alcohol, CAS No. 9002-93-1.
12.3. Bioaccumulative potential	
	No data is available on this product.
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6 Endocrine disrupting prope	rties



12.6 Endocrine disrupting properties			
	This product contains a known or suspected endocrine disruptor.		
12.7 Other adverse effects			
	Specific test data for the mixture is not available.		
Further information			
	Keep out of lakes, ponds, or streams. Do not let product contaminate subsoil.		
SECTION 13: Disposal cons	iderations		
13.1. Waste treatment methods			
	Dispose of in compliance with all local and national regulations. Follow label instructions.		
Disposal methods			
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.		
Disposal of packaging			
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.		
SECTION 14: Transport info	rmation		
14.1. UN number			
	The product is not classified as dangerous for carriage.		
14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for use			
	The product is not classified as dangerous for carriage.		
14.7 Maritime Transport in bulk a			
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory inf	ormation		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.		
Chemical Inventories/Right-to-Know Lists:	Contact SDS@neogen.com for additional information. Please specify country or region with your request.		
	California Prop 65: This product does not contain reportable substances at >0.0001% concentration.		
SECTION 16: Other informat	tion		



Revision	This document differs from the previous version in the following areas:.
	1 - Product Use.
	2 - 2.1.2. Classification - GHS.
	4 - Eve contact.
	7 - 7.2. Conditions for safe storage, including any incompatibilities.
	9 - 9.2. Other information (Gas group).
	11 - Serious eye damage/irritation.
A	
Acronyms	ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by
	Rail (RID) and by Road (ADR).
	CAS No.: Chemical Abstracts Service.
	CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013
	(Malaysia).
	FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.
	GHS: Globally Harmonized System.
	HCS 2012: Hazard Communication Standard (2012 revision).
	IATA: International Air Transport Association.
	ICAO: International Civil Aviation Organization.
	IMDG: International Maritime Dangerous Goods.
	LD: Lethal dose.
	OEL: Occupational exposure limit.
	OSHA: U.S. Occupational Safety and Health Administration.
	PEL: Permissible Exposure Limit.
	REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.
	STOT: Specific Target Organ Toxicity.
	SVHC: Substance of very high concern.
	US DOT: United States Department of Transportation.
	VOC: Volatile Organic Compound.
	WEL: Workplace Exposure Limit.
Text of Hazard Statements in	Ox. Sol. 2: H272 - May intensify fire; oxidiser.
Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H335 - May cause respiratory irritation.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Aquatic Chronic 1. H410 - Very toxic to aquatic life with long lasting effects.
Further information	
	DISCLAIMER: The information and recommendations set forth herein ("Information") are presented
	in good faith and believed to be correct as of the date issued. No representation is made regarding
	the completeness or accuracy of the Information. Further, because of the many factors that affect
	the use of this product, the Information is supplied upon the condition that the person(s) receiving it
	will make their own determination regarding its suitability for their own unique purpose(s), prior to
	USE.
	Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS
	OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED
	WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF
	PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS
	PRODUCT are made with respect to this product or use of this product. The product covered is
	furnished "as is" and only subject to the warranties herein provided, no liability is assumed
	resulting from the use of this product.





# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

# **ANSR® Lysis Reagent**

 Revision
 3

 Revision date
 2023-08-11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Product name	ANSR® Lysis Reagent				
Product code	49105				
1.2. Relevant identified uses of t	the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC21] Laboratory chemicals;				
Description	Intended for use in routine analytics, including quality control and monitoring. Do not use components from one kit with any other kit.				
1.3. Details of the supplier of the	e safety data sheet				
Company	Neogen Corporation				
Address	620 Lesher Place Lansing MI 48912				
	USA				
Web	www.neogen.com				
Telephone	517-372-9200/800-234-5333				
Email	SDS@neogen.com				
1.4. Emergency telephone number					

24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture 2.1.2. Classification - GHS Resp. Sens. 1: H334; 2.2. Label elements Hazard pictograms

Signal Word	Danger			
Hazard Statement	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.			
Prevention	P284 - In case of inadequate ventilation, wear respiratory protection.			
Precautionary Statement:	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
Response	P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor/.			



Revision 3 Revision date 2023-08-11

2.2. Label elements	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.
2.3. Other hazards	
Other hazards	Contains material(s) which may be harmful if swallowed.
CECTION 2: Composition/inf	formation on ingradiante

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH No.	Conc. (%w/w)	Classification
Proteinase K		39450-01-6	254-457-8		1 - <10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Resp. Sens. 1: H334; STOT SE 3: H335;
Description						
	Conce	ntrations liste	d are not pr	oduct specification	S.	
Particle Characteristics						
	Not ap	plicable.				
Further information						
	Full te	Full text of Hazard Statements listed in this Section is provided in Section 16.				

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.			
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.			
Skin contact	Remove contaminated clothing. Wash with soap and water. Seek medical attention if irritation or symptoms persist.			
Ingestion	Do not induce vomiting unless told to do so by the poison control center or doctor. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.			
4.2. Most important syr	nptoms and effects, both acute and delayed			
Inhalation	May cause irritation to respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
Eye contact	May cause irritation to eyes.			
Skin contact	May cause irritation to skin.			
Ingestion	Ingestion may cause nausea and vomiting.			
4.3. Indication of any in	nmediate medical attention and special treatment needed			
	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. Seek medical attention if irritation or symptoms persist. If medical advice is needed, have product container or label at hand.			
SECTION 5: Firefigh	nting measures			

# 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.



5.2. Special hazards arising from the substance or mixture		
	Product does not support combustion. Do not allow undiluted product to be released to ground water, water course or sewage system.	
5.3. Advice for firefighters		
	Do not breathe vapor or spray mist. Wear self-contained breathing apparatus and chemical-protective clothing.	
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
	Use as appropriate: Protective equipment, Protective clothing. Ensure adequate ventilation of the working area. Avoid prolonged or repeated exposure.	
6.2. Environmental precautions		
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.	
6.3. Methods and material for co	ntainment and cleaning up	
	Collect spillage. Dispose of in compliance with all local and national regulations. Clean spillage area thoroughly with plenty of water. Do not contaminate water by cleaning of equipment or disposal of wastes.	
6.4. Reference to other sections		
	See Section(s) 2, 8, and 13 for further information.	
SECTION 7: Handling and st	orage	
7.1. Precautions for safe handling		
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.	
7.2. Conditions for safe storage,	including any incompatibilities	
	Store at temperatures between 2 °C and 8 °C. Follow label instructions. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal.	
7.3. Specific end use(s)		
	See Section(s) 1.2 for further information.	
Further information		
	Refer to product label and/or package insert for additional information. Follow label instructions.	
SECTION 8: Exposure control	ols/personal protection	
8.1. Control parameters		
	No occupational exposure limits known.	
8.2. Exposure controls		



Revision 3 Revision date 2023-08-11

8.2.	Exposure	controls
------	----------	----------

Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective equipment.
Eye / face protection	Use as appropriate: Suitable eye protection.
Skin protection - Hand protection	Use as appropriate: Chemical-resistant gloves made of any waterproof material. Wash the outside of gloves before removing them.
Skin protection - Other	Use as appropriate: Protective clothing. Wash contaminated clothing, separately from other laundry, with detergent and water before reuse.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Protect clothing from contact with the product. Provide chemical shower. Provide eye wash station.

**Further information** 

Remove and wash contaminated clothing before reuse.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State	Solid/Tablet
Color	White
Odor	Odorless/Slight
Odor threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability limits	No data available
Vapor pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient (P)	No data available
Autoignition temperature	No data available
Viscosity	Not applicable.
Explosive properties	No data available
Oxidizing properties	No data available
Solubility	Soluble in water

## 9.2. Other information

Conductivity	No data available
Surface tension	Not applicable.
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

# SECTION 10: Stability and reactivity



0.1. Reactivity		
	Stable under normal conditions.	
0.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous rea	actions	
, , , , , , , , , , , , , , , , , , ,	Under the specified conditions, hazardous reactions that lead to excessive temperatures or	
	pressure are not expected.	
10.4. Conditions to avoid		
	Keep away from extreme temperatures.	
10.5. Incompatible materials		
	No data available.	
10.6. Hazardous decomposition	products	
	Carbon oxides.	
SECTION 11: Toxicological i	nformation	
11.1 Information on hazard class		
Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain	
, louid toxiony	substance(s) that are classified as hazardous. For more information, see Section 3.	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
Respiratory or skin sensitization	May cause allergic reactions in susceptible people. May cause sensitization by inhalation.	
Germ cell mutagenicity	No mutagenic effects reported.	
Carcinogenicity	No components at >0.01% are listed in the American Conference of Governmental Industrial	
	Hygienists (ACGIH) Guide to Occupational Exposure Values. No components at >0.01% are listed in the International Agency for Research on Cancer (IARC)	
	Monographs.	
	No components at >0.01% are listed in the National Toxicology Program (NTP) Report on	
	Carcinogens.	
Reproductive toxicity	Not listed in the OSHA standard 1910.1003 Carcinogens. No teratogenic effects reported.	
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
STOT-repeated exposure	No Significant Hazard.	
Aspiration hazard	No Significant Hazard.	
Repeated or prolonged	Avoid prolonged or repeated exposure. Delayed appearance of the complaints and development of	
exposure	hypersensitivity (difficult breathing, coughing, asthma) are possible.	
11.1.2. Mixtures		
	See Section(s) 3 for further information.	
11.1.3. Hazard Information		
	See Section(s) 2 and 3 for further information.	
11.1.4. Toxicological information		
	No data available	
1.1.5. Hazard Class		
	See Section(s) 2 and 14 for further information.	
11.1.6. Classification Criteria		



Revision 3 Revision date 2023-08-11

11.1.6. Classification Criteria		
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.	
11.1.7. Information on likely rout	es of exposure	
	Eye contact. Skin contact. Ingestion. Inhalation.	
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics	
	See Section(s) 4.2 for further information.	
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure	
	See Section(s) 4.2 for further information.	
11.1.10. Interactive effects		
	No data available.	
11.1.11. Absence of specific dat	a	
	<1% of this mixture consists of ingredients of unknown acute toxicity.	
11.1.12. Mixture versus substan	ce information	
	See Section(s) 3 for further information.	
11.1.13. Other information		
	No data available.	
11.2 Information on other hazard	ls	
	No data available.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
	No data available	
12.2. Persistence and degradab	ility	
	No data is available on this product.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB a	assessment	
	No data is available on this product.	
12.6 Endocrine disrupting prope	rties	
	No data is available on this product.	
12.7 Other adverse effects		
	Specific test data for the mixture is not available.	
Further information		
	Keep out of lakes, ponds, or streams. Do not let product contaminate subsoil.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
	Dispose of in compliance with all local and national regulations. Follow label instructions.	

### **Disposal methods**



Revision 3 Revision date 2023-08-11

Disposal methods	
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

# **SECTION 14: Transport information**

14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for use	er
	The product is not classified as dangerous for carriage.
14.7 Maritime Transport in bulk	according to IMO instruments
	The product is not classified as dangerous for carriage.

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
Chemical Inventories/Right-to-Know Lists:	Contact SDS@neogen.com for additional information. Please specify country or region with your request.
	California Prop 65: This product does not contain reportable substances at >0.0001% concentration.

# SECTION 16: Other information

# Other information Revision

Revision	This document differs from the previous version in the following areas:.
	1 - Product Use.
	4 - Inhalation.
	6 - 6.3. Methods and material for containment and cleaning up.
	7 - 7.2. Conditions for safe storage, including any incompatibilities.
	9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).
	9 - 9.2. Other information (Conductivity).
	9 - 9.2. Other information (Gas group).
	9 - 9.2. Other information (Surface tension).
	9 - 9.2. Other information (Benzene Content).
	9 - 9.2. Other information (Product Subcategory).



Revision 3 Revision date 2023-08-11

Other information	
	9 - 9.2. Other information (Lead content). 11 - Respiratory or skin sensitization. 16 - Maximum content of VOC.
Acronyms	ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR). CAS No.: Chemical Abstracts Service.
	CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).
	FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act. GHS: Globally Harmonized System.
	HCS 2012: Hazard Communication Standard (2012 revision). IATA: International Air Transport Association.
	ICAO: International Civil Aviation Organization. IMDG: International Maritime Dangerous Goods.
	LD: Lethal dose. OEL: Occupational exposure limit.
	OSHA: U.S. Occupational Safety and Health Administration. PEL: Permissible Exposure Limit.
	REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals. STOT: Specific Target Organ Toxicity.
	SVHC: Substance of very high concern. US DOT: United States Department of Transportation.
	VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.
Text of Hazard Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. STOT SE 3: H335 - May cause respiratory irritation.
Further information	
	DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.
	Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.





# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

# **ANSR®** Listeria Reaction Tubes

Page 1/8

Revision 3 Revision date 2023-08-11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	ANSR® Listeria Reaction Tubes	
Product code	(9871)	
1.2. Relevant identified uses of the	he substance or mixture and uses advised against	
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC2 Laboratory chemicals;	
Description	Intended for use in routine analytics, including quality control and monitoring. Restricted to professional users.	
1.3. Details of the supplier of the	safety data sheet	
Company	Neogen Corporation	
Address	620 Lesher Place	
	Lansing MI 48912 USA	
Web	www.neogen.com	
Telephone	517-372-9200/800-234-5333	
Email	SDS@neogen.com	

# 1.4. Emergency telephone number

24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

2.1.2. Classification - GHS 2.1.2. Classification - GHS	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	
	Based on available data, this product is not classified as hazardous.	
2.2. Label elements		
Hazard pictograms		
Signal Word	Warning	
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Precautionary Statement:	P264 - Wash thoroughly after handling.	
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	



Revision 3 Revision date 2023-08-11

2.2. Label elements		
Precautionary Statement: P302+P352 - IF ON SKIN: Wash with plenty of water/.		
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
	P332+P313 - If skin irritation occurs: Get medical advice/attention.	
	P337+P313 - If eye irritation persists: Get medical advice/attention.	
2.3. Other hazards		
Other hazards	Contains material(s) which may be harmful if swallowed. Contains substance(s) which are	
	hazardous to the environment. Contains:. Endocrine disrupting agent.	

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

# EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH No.	Conc. (%w/w)	Classification
Dimethyl sulfoxide		67-68-5	200-664-3		0 - <0.1%	Flam. Liq. 4: H227; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Trizma hydrochloride		1185-53-1	214-684-5		1 - <10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;
Tris(hydroxymethyl)aminometha	ane	77-86-1	201-064-4		1 - <10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;

### Description

Included on the Candidate List of Substances of Very High Concern: P-tertiary-Octylphenoxy polyethyl alcohol, CAS No. 9002-93-1, (<0.1%).
Concentrations listed are not product specifications.

### Particle Characteristics

Not applicable.

### **Further information**

Full text of Hazard Statements listed in this Section is provided in Section 16.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
Skin contact	Remove contaminated clothing. Wash with soap and water. Seek medical attention if irritation or symptoms persist.
Ingestion	Do not induce vomiting unless told to do so by the poison control center or doctor. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	Ingestion may cause nausea and vomiting.	

### 4.3. Indication of any immediate medical attention and special treatment needed



Revision 3 Revision date 2023-08-11

4.3. Indication of any immediate medical attention and special treatment needed		
	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. Seek medical attention if irritation or symptoms persist. If medical advice is needed, have product container or label at hand.	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
	Use extinguishing media appropriate to the surrounding fire conditions.	
5.2. Special hazards arising from	n the substance or mixture	
	Contains substance(s) which are hazardous to the environment. Do not allow undiluted product to be released to ground water, water course or sewage system.	
5.3. Advice for firefighters		
	Do not breathe vapor or spray mist. Wear self-contained breathing apparatus and chemical-protective clothing.	
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
	Use as appropriate: Protective equipment, Protective clothing. Ensure adequate ventilation of the working area. Avoid prolonged or repeated exposure.	
6.2. Environmental precautions		
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.	
6.3. Methods and material for co	ntainment and cleaning up	
	Collect spillage. Dispose of in compliance with all local and national regulations. Clean spillage area thoroughly with plenty of water. Do not contaminate water by cleaning of equipment or disposal of wastes.	
6.4. Reference to other sections		
	See Section(s) 2, 8, and 13 for further information.	
SECTION 7: Handling and st	torage	
7.1. Precautions for safe handlin	g	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.	
7.2. Conditions for safe storage, including any incompatibilities		
	Store at temperatures between 2 °C and 8 °C. Follow label instructions. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal.	
7.3. Specific end use(s)		
	See Section(s) 1.2 for further information.	
Further information		
	Refer to product label and/or package insert for additional information. Follow label instructions.	
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		



Revision 3 Revision date 2023-08-11

# 8.1. Control parameters No occupational exposure limits known. 8.2. Exposure controls Appropriate engineering Ensure adequate ventilation of the working area. controls Individual protection measures Use as appropriate: Protective equipment. Eye / face protection Use as appropriate: Suitable eye protection. Use as appropriate: Chemical-resistant gloves made of any waterproof material. Wash the outside Skin protection - Hand protection of gloves before removing them. Skin protection - Other Use as appropriate: Protective clothing. Wash contaminated clothing, separately from other laundry, with detergent and water before reuse. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Occupational exposure Exposure above the recommended occupational exposure limit (OEL) may cause adverse health controls effects. Protect clothing from contact with the product. Provide chemical shower. Provide eye wash station.

### Further information

Remove and wash contaminated clothing before reuse.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State	Solid/Pellets
	White
	Odorless/Slight
	No data available
pH	No data available
Melting point	No data available
	No data available
Initial boiling point	
Flash point	No data available
Evaporation rate	No data available
Flammability limits	No data available
Vapor pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient (P)	No data available
Autoignition temperature	No data available
Viscosity	Not applicable.
Explosive properties	No data available
Oxidizing properties	No data available
Solubility	Soluble in water
Solubility	Soluble in water

9.2. Other information



### Revision 3 Revision date 2023-08-11

9.2. Other information

Conductivity	No data available	
Surface tension	Not applicable.	
Gas group	No data available	
Benzene Content	No data available	
Lead content	No data available	
VOC (Volatile organic	No data available	
compounds)		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		

	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.		
10.4. Conditions to avoid			
	Keep away from extreme temperatures.		
10.5. Incompatible materials			
	No data available.		
10.6. Hazardous decomposition products			
	Carbon oxides.		

# SECTION 11: Toxicological information

### 11.1 Information on hazard classes

Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain substance(s) that are classified as hazardous. For more information, see Section 3.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity Reproductive toxicity	No components at >0.01% are listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. No components at >0.01% are listed in the International Agency for Research on Cancer (IARC) Monographs. No components at >0.01% are listed in the National Toxicology Program (NTP) Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens. p-tertiary-Octylphenoxy polyethyl alcohol, CAS No. 9002-93-1, is suspected toxic for reproduction: CAESAR developmental toxicity model in VEGA (Q) SAR platform predicts that the chemical is Toxicant (good reliability).
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT-repeated exposure	No Significant Hazard.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.



### Page 6/8

# **ANSR®** Listeria Reaction Tubes

Revision 3 Revision date 2023-08-11

11.1.2. Mixtures		
	See Section(s) 3 for further information.	
11.1.3. Hazard Information		
	See Section(s) 2 and 3 for further information.	
11.1.4. Toxicological information		
	No data available	
11.1.5. Hazard Class		
	See Section(s) 2 and 14 for further information.	
11.1.6. Classification Criteria		
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.	
11.1.7. Information on likely rout		
	Eye contact. Skin contact. Ingestion. Inhalation.	
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics	
	See Section(s) 4.2 for further information.	
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure	
	See Section(s) 4.2 for further information.	
11.1.10. Interactive effects		
	No data available.	
11.1.11. Absence of specific dat	a	
	<1% of this mixture consists of ingredients of unknown acute toxicity.	
11.1.12. Mixture versus substance information		
	See Section(s) 3 for further information.	
11.1.13. Other information		
	No data available.	
11.2 Information on other hazards		
	No data available.	
SECTION 12: Ecological information		
12.1. Toxicity		
	No data available	
12.2. Persistence and degradability		
	Suspected persistent in the environment: The Danish QSAR database contains information indicating that the substance is predicted as non readily biodegradable. p-tertiary-Octylphenoxy polyethyl alcohol, CAS No. 9002-93-1.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB assessment		
	No data is available on this product.	
12.6 Endocrine disrupting properties		



### Revision 3 Revision date 2023-08-11

12.6 Endocrine disrupting prope	rties	
	This product contains a known or suspected endocrine disruptor.	
12.7 Other adverse effects		
	Specific test data for the mixture is not available.	
Further information		
	Keep out of lakes, ponds, or streams. Do not let product contaminate subsoil.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of in compliance with all local and national regulations. Follow label instructions.	
Disposal methods		
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.	
Disposal of packaging		
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for use		
	The product is not classified as dangerous for carriage.	
14.7 Maritime Transport in bulk according to IMO instruments		
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory inf	ormation	
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture	
Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.	
Chemical Inventories/Right-to-Know Lists:	Contact SDS@neogen.com for additional information. Please specify country or region with your request.	
	California Prop 65: This product does not contain reportable substances at >0.0001% concentration.	
SECTION 16: Other information		



Other information
-------------------

Revision       This document differs from the previous version in the following areas::         3 - Description.       3 - Description.         6 - 6.3. Methods and material for containment and cleaning up.       7 - 7.2. Conditions for safe storage, including any incompatibilities.         9 - 9.2. Other information (Gas group).       ADRRID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR).         CAS No: Chemical Abstracts Service.       CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.       GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).       IATA: International Air Transport Association.         ICAC: International Air Transport Association.       ICAC: International Air Transport Association.         ICA: International Air Transport Association.       ICAC: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.       CSH: Cocupational Safety and Health Administration.         PEL: Permissible Exposure Limit.       U.S. DOC: United States Department of Transportation.         VOC: Volatile Organic Compound.       WEL: Workplace Exposure Limit.         REACT Hazard Statements in Section 3       Film. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H319 - Causes skin irritation.       Eye Irrit. 2: H319 - Causes serious eye irritation. <th></th> <th></th>		
Acronyms         6 - 6.3. Methods and material for containment and cleaning up.           7. 7.2. Conditions for safe storage, including any incompatibilities.         9 - 9.2. Other information (Gas group).           Acronyms         ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR).           CAS No: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).           FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.           HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.           ICAO: International Maritime Dangerous Goods.         ID: Lethal dose.           OEL: Occupational exposure limit.         CSEL: Occupational Safety and Health Administration.           PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.           STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.           US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.           WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.           Storior 3         Stin Intt. 2: H319 - Causes skin irritation.           Eye Intt. 2: H319 - Causes service servication is supple upon the conternation"; are presented in good faith and believed to be corr	Revision	
Acronyms       7 - 7.2. Conditions for safe storage, including any incompatibilities. 9 - 9.2. Other information (Gas group).         ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR).         CAS No.: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS:: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAO: International Civil Aviation Organization.         IMDG: International Air Transport Association.         ICA: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         VOC: Substance of very high concern.         US DDT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Statements In         Section 3         Film. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.<		
Acronyms       9 - 9.2. Other information (Gas group).         ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RD) and by Road (ADR).         CAS No.: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAG: International Civil Aviation Organization.         IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irit. 2: H315 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irit. 2: H319 - Causes serious eye irritation.		6 - 6.3. Methods and material for containment and cleaning up.
Acronyms       ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by         Rait (RID) and by Road (ADR).       CAS No: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).       FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.       HCS 2012: Hazard Communication Standard (2012 revision).       IATA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: International Air Transport Association.       ICAO: International Air Transport Association.       ICAO: International Air Transport Association.         IDG: International Air Transport Association.       ICAO: International Maritime Dangerous Goods.       I.D: Lethal dose.         OEL: Occupational exposure limit.       OSHA: U.S. Occupational Safety and Health Administration.       PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.       STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.       US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.       WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.       Skin Irnt. 2: H319 - Causes skin irritation.         Stot S 3: H335 - May cause respiratory irritation.       STOT SE 3: H335 - May cause respiratory irritation.         Stot S 3: Sta 3: S 3: Sa 3: Sa 3: Sa 3: Sa 3:		7 - 7.2. Conditions for safe storage, including any incompatibilities.
Rail (RID) and by Road (ADR).         CAS No.: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAO: International Civil Aviation Organization.         IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         VEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Intl: 2: H315 - Causes skin irritation.         Stotin S       Skin Intl: 2: H319 - Causes skin irritation.         Eye Intl: 2: H319 - Causes skin irritation.         Stot SS 3: H335 - May cause respiratory irritation.         Stot SS 3: H335 - May cause respiratory irritation.		9 - 9.2. Other information (Gas group).
CAS No.: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAO: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         Stor DT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         Strin Irrit. 2: H319 - Causes serious eye of the addet issued. No representation is made regarding the completenees or accuracy of the Information. Further, because of the many factors that affect the use of this produc	Acronyms	ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by
CAS No.: Chemical Abstracts Service.         CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAO: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         Stor DT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         Strin Irrit. 2: H319 - Causes serious eye of the addet issued. No representation is made regarding the completenees or accuracy of the Information. Further, because of the many factors that affect the use of this produc		Rail (RID) and by Road (ADR).
CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).         FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICCAO: International Civil Aviation Organization.         IMDG: International Civil Aviation Organization.         IMDG: International Provide Provid		
(Malaysia),       FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS:       Globalty Harmonized System.         HCS 2012:       Hazard Communication Standard (2012 revision).         IATA:       International Air Transport Association.         ICAO:       International Maritime Dangerous Goods.         LD:       Lethal dose.         OEL:       Occupational exposure limit.         OSHA:       U.S. Occupational exposure limit.         OSHA:       U.S. Occupational Safety and Health Administration.         PEL:       Permissible Exposure Limit.         REACH:       Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT:       Specific Target Organ Toxicity.         SVHC:       Substance of very high concern.         US DOT:       United States Department of Transportation.         VOC:       Volatile Organic Compound.         WEL:       Workplace Exposure Limit.         Flaxand Statements in       Fiam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H319 - Causes serious eye irritation.       Eye Irrit. 2: H319 - Causes serious eye irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.       STOT SE 3: H335 - May cause respiratory irritation.         Further information       DISCLAIMER: The information and recommendations set forth herein (		
FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.         GHS: Globally Harmonized System.         HGS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transpot Association.         ICAO: International Civil Aviation Organization.         IMDG: International Air Transpot Association.         ICAO: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Section 3         Statements in         Section 3         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information regarding its suitability for their own unique purpose(s), prior to use.		
GHS: Globally Harmonized System.         HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAO: International Givil Aviation Organization.         IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational Safety and Health Administration.         PEL: Permissible Exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product,		
HCS 2012: Hazard Communication Standard (2012 revision).         IATA: International Air Transport Association.         ICAO: International Civil Aviation Organization.         IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H319 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the pe		-
IATA: International Air Transport Association.         ICAO: International Civil Aviation Organization.         IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their		
ICAO: International Civil Aviation Organization.         IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H319 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
IMDG: International Maritime Dangerous Goods.         LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving if will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
LD: Lethal dose.         OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving if will make their own determination regarding its suitabil		-
OEL: Occupational exposure limit.         OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Everther information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		-
OSHA: U.S. Occupational Safety and Health Administration.         PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Section 3         Film. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
PEL: Permissible Exposure Limit.         REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         BISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.         STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Big Intermet information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		OSHA: U.S. Occupational Safety and Health Administration.
STOT: Specific Target Organ Toxicity.         SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         STOT SE 3: H335 - May cause respiratory irritation.         STOT SE 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         STOT Se 3: H335 - May cause respiratory irritation.         Stin good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		PEL: Permissible Exposure Limit.
SVHC: Substance of very high concern.         US DOT: United States Department of Transportation.         VOC: Volatile Organic Compound.         WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid.         Section 3         Film. Liq. 4: H227 - Combustible liquid.         Skin Irrit. 2: H315 - Causes skin irritation.         Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Build Statements in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.
Text of Hazard Statements in       US DOT: United States Department of Transportation. VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		STOT: Specific Target Organ Toxicity.
Text of Hazard Statements in       US DOT: United States Department of Transportation. VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		SVHC: Substance of very high concern.
Text of Hazard Statements in Section 3       VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
Text of Hazard Statements in Section 3       WEL: Workplace Exposure Limit.         Flam. Liq. 4: H227 - Combustible liquid. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
Text of Hazard Statements in Section 3       Flam. Liq. 4: H227 - Combustible liquid. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.         Further information       DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
Section 3       Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.	Text of Hazard Statements in	
Eye Irrit. 2: H319 - Causes serious eye irritation.         STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
STOT SE 3: H335 - May cause respiratory irritation.         Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.	Section 3	
Further information         DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		STOT SE 3: H335 - May cause respiratory irritation.
in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.	Further information	
in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		DISCI AIMER: The information and recommendations set forth herein ("Information") are presented
the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
use.		
Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS		USE.
Except as expressly stated herein, NO WARKANTED, GOARANTEDS, ON REFRESENTATIONS		Except as expressly stated herein NO WARRANTIES GUARANTEES OF REDRESENTATIONS
OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED		
WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF		
PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS		
PRODUCT are made with respect to this product or use of this product. The product covered is		
furnished "as is" and only subject to the warranties herein provided, no liability is assumed		
resulting from the use of this product.		resulting from the use of this product.

