

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Issue date: 1/27/2025 Revision date: 3/25/2025 Supersedes: 1/27/2025 Version: 11.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture

Trade name : BioSentry® AquaPrime® Activator

Product code : 142250

1.2. Other means of identification

Part Number(s) : 142250|142350|142450|142550|142750

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Additive

1.4. Supplier's details

Supplier

Neogen Corporation 620 Lesher Place Lansing, Michigan 48912

United States of America

T 800.234.5333

sds@neogen.com - https://www.neogen.com/

Manufacturer

Preserve International, a Neogen Company

944 Nandino Blvd.

Lexington, Kentucky 40511-1205

U.S.A.

1.5. Emergency phone number

Emergency number : 24 hours:

Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)

Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (inhalation:dust,mist), Category 4 H332 Harmful if inhaled.

Skin corrosion/irritation, Category 1B H314 Causes severe skin burns and eye damage.

Carcinogenicity, Category 1A H350 May cause cancer.
Hazardous to the aquatic environment — Acute Hazard, Category 3 H402 Harmful to aquatic life.

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Harmful to aquatic life with long lasting effects.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled H350 - May cause cancer. H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Precautionary statements (GHS US)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dusts or mists.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P310 - Immediately call a poison center or doctor.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Take off immediately all contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards which do not result in classification

: Read the entire label and follow all use directions, restrictions, and precautions.

2.5. Unknown acute toxicity

7.47% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Hydrochloric acid	CAS-No.: 7647-01-0	10 – 15	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Aquatic Chronic 1, H410
Sulfuric acid	CAS-No.: 7664-93-9	5 – 10	Skin Corr. 1A, H314 Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Call a physician immediately. Refer to product label and/or package insert for additional

information. Follow label instructions.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Harmful if inhaled.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapors/spray.

3/25/2025 (Revision date) US - en 3/12

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle

until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Refer to product label and/or

package insert for additional information. Follow label instructions.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing

before reuse. Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up. Storage temperature : $2-30~{\rm ^{\circ}C}$

Packaging materials : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Sulfuric acid (7664-93-9)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Sulfuric acid	
ACGIH® TLV® TWA	0.2 mg/m³ (Thoracic fraction)	
Remark (ACGIH)	TLV® Basis: Mucostasis; Pulm func. Notations: A2 (Suspected Human Carcinogen)	
Regulatory reference	reference ACGIH 2025	
USA - OSHA - Occupational Exposure Limits		
Local name	Sulfuric acid	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Sulfuric acid (7664-93-9)		
DSHA PEL TWA	1 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
USA - Cal/OSHA - Occupational Exposure Limits		
ocal name	Sulfuric acid	
Cal/OSHA PEL (OEL TWA)	0.1 mg/m³	
Cal/OSHA STEL	3 mg/m³	
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)	
USA - NIOSH - Occupational Exposure Limits		
Local name	Sulfuric acid	
NIOSH REL 10h TWA	1 mg/m³	
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))	
Hydrochloric acid (7647-01-0)		
JSA - ACGIH - Occupational Exposure Limits		
Local name	Hydrogen chloride	
ACGIH® TLV® C	2 ppm	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2024	
USA - OSHA - Occupational Exposure Limits		
Local name	Hydrogen chloride	
OSHA PEL C	7 mg/m³	
	5 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
[In case of inadequate ventilation] wear respiratory protection.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Personal protective equipment symbol(s):







Other information:

Refer to product label for additional PPE requirements and recommendations. Follow label instructions.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Color : Light green
Odor : Pungent
Odor threshold : No data available
pH : No data available

Melting point Not applicable Freezing point No data available Boiling point No data available No data available Flash point : Not applicable. Flammability (solid, gas) : No data available Vapor pressure Relative vapor density at 20°C : No data available Relative density : No data available Relative density of saturated gas/air mixture : 1.08 – 1.12 Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Explosion limits : No data available
Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

BioSentry® AquaPrime® Activator		
ATE US (dust, mist)	2.281 mg/l/4h	
Unknown acute toxicity (GHS US)	7.47% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)	

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/irritation : Assumed to cause serious eye damage

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer.

Sulfuric acid (7664-93-9)		
IARC group 1 - Carcinogenic to humans		
National Toxicity Program (NTP) Status Known Human Carcinogens		
Hydrochloric acid (7647-01-0)		
IARC group 3 - Not classifiable		

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Hydrochloric acid (7647-01-0)

Viscosity, kinematic 1.491 – 1.754 mm²/s

Symptoms/effects after inhalation : Harmful if inhaled.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Harmful to aquatic life.

(acute)

3/25/2025 (Revision date) US - en 7/12

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Hazardous to the aquatic environment, long–term : Harmful to aquatic life with long lasting effects. (chronic)

Sulfuric acid (7664-93-9)		
LC50 - Fish [1]	16 – 28 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
ErC50 algae	> 100 mg/l	
NOEC (chronic)	0.15 mg/l Test organisms (species): other:	
NOEC chronic fish	0.025 mg/l	
NOEC chronic crustacea	0.15 mg/l	
Hydrochloric acid (7647-01-0)		
LC50 - Fish [1]	3.25 – 3.5 mg/l Source: ECHA	
EC50 - Crustacea [1]	0.492 mg/l	
EC50 72h - Algae [1]	0.73 mg/l Source: ECHA	

12.2. Persistence and degradability

BioSentry® AquaPrime® Activator		
Persistence and degradability Not rapidly degradable		
Sulfuric acid (7664-93-9)		
Persistence and degradability	Biodegradability: not applicable.	
BOD (% of ThOD)	Not applicable	
Hydrochloric acid (7647-01-0)		
rsistence and degradability Biodegradability: not applicable.		

12.3. Bioaccumulative potential

Sulfuric acid (7664-93-9)		
Partition coefficient n-octanol/water (Log Pow) -2.2 (Estimated value)		
Bioaccumulative potential Not bioaccumulative.		
Hydrochloric acid (7647-01-0)		
Partition coefficient n-octanol/water (Log Pow) 0.25 Source: ICSC		
Bioaccumulative potential Does not contain bioaccumulative component(s).		

12.4. Mobility in soil

Sulfuric acid (7664-93-9)	
Ecology - soil	No (test)data on mobility of the substance available.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Hydrochloric acid (7647-01-0)	
Ecology - soil	No (test)data on mobility of the component(s) available. May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers. Observe all applicable Federal, Provincial, and State regulations and local/municipal ordinances regarding disposal. Refer to product label and/or package insert for additional information. Follow label instructions.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA	
14.1. UN number				
UN1760	UN1760	1760	1760	
14.2. Proper Shipping Name				
Corrosive liquids, n.o.s. (Hydrochloric acid, Sulfuric acid)	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Sulfuric acid)	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Sulfuric acid)	Corrosive liquid, n.o.s. (Hydrochloric acid, Sulfuric acid)	
14.3. Transport hazard class(es	14.3. Transport hazard class(es)			
8	8	8	8	
CORROSIVE 8	8	8	B	
14.4. Packing group	14.4. Packing group			
II	II	II	II	
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information available				

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

UN-No. (DOT) : UN1760

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

DOT Special Provisions (49 CFR 172.102)

: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) 154 DOT Packaging Non Bulk (49 CFR 173.xxx) 202 DOT Packaging Bulk (49 CFR 173.xxx) 242 DOT Quantity Limitations Passenger aircraft/rail (49 :

CFR 173 27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location

: 30 L

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

UN-No. (TDG) **TDG Special Provisions** : UN1760

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3).

(2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;

(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;

(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

Explosive Limit and Limited Quantity Index

Excepted quantities (TDG) : E2 Passenger Carrying Road Vehicle or Passenger

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number

: 1 L

· 11

: 154

3/25/2025 (Revision date) US - en 10/12

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

IMDG

Special provision (IMDG) : 274
Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : B Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

IATA

Special provision (IATA) : A3, A803 PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 : 0.5L PCA limited quantity max net quantity (IATA) : 851 PCA packing instructions (IATA) PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L ERG code (IATA) : 8L

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are exempt or present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Sulfuric acid	CAS-No. 7664-93-9	5 – 10%
Hydrochloric acid	CAS-No. 7647-01-0	10 – 15%

Sulfuric acid (7664-93-9)	
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

Hydrochloric acid (7647-01-0)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Hydrochloric acid (7647-01-0)	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 3/25/2025 Issue date : 1/27/2025

Full text of hazard classes and H-statements	
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H350	May cause cancer.
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.