



Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 19/02/2025 Revision date: 11/11/2025 Supersedes version of: 30/09/2025 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Colitag™ Water Test System
Product code : 9850
Type of product : Food Safety -- [Food Safety]
Part Number(s) : 9850|9851|700002856|700002857

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Laboratory chemicals
Scientific research and development

1.3. Details of the supplier of the safety data sheet

Manufacturer

Neogen Corporation
620 Leshar Place
48912 Lansing, Michigan
United States of America
T 800.234.5333
sds@neogen.com, <https://www.neogen.com/>

1.4. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains SODIUM PYRUVATE. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Sodium chloride (7647-14-5), Ammonium sulfate (7783-20-2), Sodium bicarbonate (144-55-8), Sodium pyruvate (113-24-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Sodium chloride (7647-14-5), Ammonium sulfate (7783-20-2), Sodium bicarbonate (144-55-8), Sodium pyruvate (113-24-6)

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium chloride substance with national workplace exposure limit(s) (LT, LV)	CAS-No.: 7647-14-5 EC-No.: 231-598-3	≥ 25 – < 50	Not classified
Ammonium sulfate substance with national workplace exposure limit(s) (BG, LV)	CAS-No.: 7783-20-2 EC-No.: 231-984-1	≥ 10 – < 15	Aquatic Chronic 3, H412
Sodium bicarbonate substance with national workplace exposure limit(s) (LV)	CAS-No.: 144-55-8 EC-No.: 205-633-8	≥ 5 – < 10	Not classified
L-Tryptophan substance with national workplace exposure limit(s) (LV)	CAS-No.: 73-22-3 EC-No.: 200-795-6	≥ 1 – < 5	Aquatic Chronic 3, H412
Sodium pyruvate	CAS-No.: 113-24-6 EC-No.: 204-024-4	≥ 0.5 – < 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Storage temperature : 2 – 30 °C
Packaging materials : Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Beige. Yellow.
Appearance	: Powder.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 6.8 – 7
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in water.

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Sodium chloride (7647-14-5)	
LD50 oral rat	> 3980 mg/kg bodyweight (Rat, Experimental value, 20 % aqueous solution, Oral)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	> 42 mg/l air (1 h, Rat, Male, Experimental value, 20 % aqueous solution, Inhalation (aerosol))
LC50 Inhalation - Rat (Dust/Mist)	> 10.5 mg/l Source: Corporate Solution From Thomson Micromedex
Ammonium sulfate (7783-20-2)	
LD50 oral rat	4250 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 434: Acute Dermal Toxicity - Fixed Dose Procedure, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Sodium bicarbonate (144-55-8)	
LD50 oral rat	> 4000 mg/kg (FIFRA (40 CFR), Rat, Male / female, Experimental value, Oral)

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium bicarbonate (144-55-8)	
LD50 oral	7334 mg/kg
LD50 dermal	2500 mg/kg
LC50 Inhalation - Rat	> 4.74 mg/l (EPA OTS 798.1150: Acute inhalation toxicity, 4.5 h, Rat, Male / female, Experimental value, Inhalation, 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	5.33 mg/l/4h
L-Tryptophan (73-22-3)	
LD50 oral rat	> 16000 mg/kg Source: Corporate Solution From Thomson Micromedex
LC50 Inhalation - Rat	> 5.17 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))
Sodium pyruvate (113-24-6)	
LD50 oral	3533 mg/kg bodyweight (Mouse, Experimental value, Oral)
LD50 dermal rat	> 3000 mg/kg bodyweight (Rat, Male, Experimental value, Intraperitoneal)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 6.8 – 7
Sodium chloride (7647-14-5)	
pH	7.5 (18 °C)
Ammonium sulfate (7783-20-2)	
pH	5.5 (1.3 %)
Sodium bicarbonate (144-55-8)	
pH	8 (5 %)
L-Tryptophan (73-22-3)	
pH	5 – 7 (1 %)
Sodium pyruvate (113-24-6)	
pH	7 (10 %)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 6.8 – 7
Sodium chloride (7647-14-5)	
pH	7.5 (18 °C)
Ammonium sulfate (7783-20-2)	
pH	5.5 (1.3 %)
Sodium bicarbonate (144-55-8)	
pH	8 (5 %)
L-Tryptophan (73-22-3)	
pH	5 – 7 (1 %)
Sodium pyruvate (113-24-6)	
pH	7 (10 %)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ammonium sulfate (7783-20-2)	
NOAEL (chronic, oral, animal/male, 2 years)	256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (chronic, oral, animal/female, 2 years)	284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

Sodium bicarbonate (144-55-8)	
NOAEL (oral, rat, 90 days)	6400 mg/kg bodyweight Animal: rat, Animal sex: male
L-Tryptophan (73-22-3)	
NOAEL (oral, rat, 90 days)	3764 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Colitag™ Water Test System	
Viscosity, kinematic	Not applicable

Sodium chloride (7647-14-5)	
Viscosity, kinematic	Not applicable (solid)

Ammonium sulfate (7783-20-2)	
Viscosity, kinematic	Not applicable (solid)

Sodium pyruvate (113-24-6)	
Viscosity, kinematic	Not applicable (solid)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met).
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met).

Sodium chloride (7647-14-5)	
LC50 - Fish [1]	5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
Ammonium sulfate (7783-20-2)	
LC50 - Fish [1]	53 mg/l (96 h, Oncorhynchus mykiss, Fresh water)
LC50 - Fish [2]	57.2 mg/l Test organisms (species): Prosopium williamsoni
EC50 - Crustacea [1]	169 mg/l (48 h, Daphnia magna, Static system, Fresh water)

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ammonium sulfate (7783-20-2)	
EC50 - Other aquatic organisms [1]	121.7 mg/l Test organisms (species): other:
Sodium bicarbonate (144-55-8)	
LC50 - Fish [1]	7100 mg/l (EPA OPP 72-1, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	4100 mg/l (EPA OPP 72-2, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value, GLP)
NOEC (chronic)	> 576 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	400 mg/l Test organisms (species): Pimephales promelas Duration: '30 d'
L-Tryptophan (73-22-3)	
LC50 - Fish [1]	64702.375 mg/l Source: Ecological Structure Activity Relationships
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 84.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	1957.042 mg/l Source: Ecological Structure Activity Relationships
Sodium pyruvate (113-24-6)	
LC50 - Fish [1]	> 100 mg/l (96 h, Pisces, QSAR, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 72h - Algae [1]	2.78 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	94800000 mg/l Source: ECOSAR
ErC50 algae	> 3 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (chronic)	3.95 mg/l Test organisms (species): Duration: '28 d'
12.2. Persistence and degradability	
Colitag™ Water Test System	
Persistence and degradability	Not rapidly degradable
Sodium chloride (7647-14-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Ammonium sulfate (7783-20-2)	
Persistence and degradability	Biodegradability in water: no data available.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Sodium bicarbonate (144-55-8)	
Persistence and degradability	Biodegradability: not applicable.
ThOD	Not applicable (inorganic)

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

L-Tryptophan (73-22-3)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Sodium pyruvate (113-24-6)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

12.3. Bioaccumulative potential

Sodium chloride (7647-14-5)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

Ammonium sulfate (7783-20-2)

Partition coefficient n-octanol/water (Log Pow)	-5.1 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Not bioaccumulative.

Sodium bicarbonate (144-55-8)

Partition coefficient n-octanol/water (Log Pow)	-4.01 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.

L-Tryptophan (73-22-3)

Partition coefficient n-octanol/water (Log Pow)	-1.06 Source: ChemIDplus
Bioaccumulative potential	No bioaccumulation data available.

Sodium pyruvate (113-24-6)

Partition coefficient n-octanol/water (Log Pow)	-3.8 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Sodium chloride (7647-14-5)

Surface tension	73.03 mN/m (23 °C, 14.5 g/l)
Ecology - soil	No (test)data on mobility of the substance available.

Ammonium sulfate (7783-20-2)

Ecology - soil	Adsorption to soil is possible.
----------------	---------------------------------

Sodium bicarbonate (144-55-8)

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

Sodium pyruvate (113-24-6)

Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Sodium chloride (7647-14-5), Ammonium sulfate (7783-20-2), Sodium bicarbonate (144-55-8), Sodium pyruvate (113-24-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Sodium chloride (7647-14-5), Ammonium sulfate (7783-20-2), Sodium bicarbonate (144-55-8), Sodium pyruvate (113-24-6)

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
HP Code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not applicable

Rail transport

Not applicable

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Colitag™ Water Test System

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains SODIUM PYRUVATE. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.